



ACC CS 1240 i1100 G

WHY ACC

- ✓ ACC offers products from the **top-class** activated carbon manufacturers.
- ✓ ACC ensures a **one-stop service** for various demands from customers.
- ✓ **Double quality guarantee** from both manufacturer side and ACC side after production and before delivery.
Approved by many authorized institutions from different fields such as **NSF, BV, HALA, Kosher**.etc.

CS 1240 i1100 G is an agglomerated, coal-based granular activated carbon designed for the purification and decolorization of many aqueous and organic liquids.

This product is developed for the applications where a combination of adsorption rate and trace removal capacity is needed. Typical applications include: Glycerin purification, viscous organics decolorization/purification, solvents and organic solution purification, kerosene decolorization.

Package: Packed in 500kg jumbo bag. Other packaging is available upon your request.

Standards: All the above test methods are performed using ASTM protocol for activated carbon.

SPECIFICATIONS

CS 1240 i1100 G

Mean Particle Diameter	0.8-1.0 mm
Iodine number	1100 mg/g min
Moisture (as packaged)	2% max
Abrasion Number	75% max
Density (Apparent)	0.54 g/cc min
FCC-Arsenic, ppm	3 max
12 US Mesh (1.70mm)	5% max
< 40 US mesh (0.425mm)	4% max